

Revision Date 29-May-2024

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)

Version 7

1. IDENTIFICATION

Product identifier Product Name

34A VALVE GRINDING COMPOUND 1.50Z

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseGrinding compoundUses advised againstNo information available

80036

Details of the supplier of the safety data sheet

Manufacturer Address ITW Permatex, Inc. 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Carcinogenicity	Category 1B

Label elements

Signal word

Emergency Overview

Danger Harmful if swallowed May cause cancer



Appearance Gray

Physical state Paste / Gel Liquid

Odor Slight

Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC) Not applicable

Other Information

Not applicable.

Unknown acute toxicity

43.602 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
SILICON CARBIDE	409-21-2	25 - <50%
ETHYLENE GLYCOL	107-21-1	10 - <25%
CARBOMER	9003-01-4	0.1 - <0.5%

4. FIRST AID MEASURES

Description of first aid measures

General advice	Get medical advice/attention if you feel unwell.
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take

	off contaminated clothing and wash before reuse.		
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.		
Ingestion	IF SWALLOWED:. Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.		
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	See section 2 for more information.		
Indication of any immediate medicate	al attention and special treatment needed		
Note to physicians	Treat symptomatically.		
	5. FIRE-FIGHTING MEASURES		
<u>Suitable extinguishing media</u> Carbon dioxide (CO2), Use dry chemical, Foam			
<u>Unsuitable extinguishing media</u> None			
Specific hazards arising from the chemical None in particular.			
None in particular.			
Hazardous combustion product	s No information available.		
	s No information available. None. None.		
Hazardous combustion product Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti	None. None.		
Hazardous combustion product <u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge <u>Protective equipment and precauti</u> As in any fire, wear self-contained bre	None. None. ons for firefighters		
Hazardous combustion product <u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge <u>Protective equipment and precauti</u> As in any fire, wear self-contained bre protective gear.	None. None. ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full		
Hazardous combustion product <u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge <u>Protective equipment and precauti</u> As in any fire, wear self-contained bre protective gear.	None. None. <u>ons for firefighters</u> eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES		
Hazardous combustion product Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective en	None. None. Desting apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES Quipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.		
Hazardous combustion product Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective end Personal precautions	None. None. Desting apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES Quipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin.		
Hazardous combustion product Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge Protective equipment and precauti As in any fire, wear self-contained bre protective gear. Personal precautions, protective end Personal precautions Environmental precautions	None. None. Dons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full 6. ACCIDENTAL RELEASE MEASURES quipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required. See section 12 for additional ecological information.		

Methods for cleaning upUse personal protective equipment as required. Dam up. Cover liquid spill with sand, earth
or other non-combustible absorbent material. Take up mechanically, placing in appropriate
containers for disposal. Clean contaminated surface thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.
Conditions for safe storage, including any incompatibilities	

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep from freezing.

Incompatible materials No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	
SILICON CARBIDE	TWA: 10 mg/m ³ nonfibrous,	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust	
409-21-2	inhalable particulate matter,	TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ respirable dust	
	particulate matter containing no	(vacated) TWA: 10 mg/m ³ total dust		
		(vacated) TWA: 5 mg/m ³ respirable		
	TWA: 3 mg/m ³ nonfibrous,	fraction		
	respirable particulate matter,			
	particulate matter containing no			
	asbestos and <1% crystalline silica			
	TWA: 0.1 fiber/cm3 respirable			
	fibers, including whiskers, length >5			
	µm, aspect ratio >=3:1 as			
	determined by the membrane filter			
	method at 400-450X magnification			
	(4-mm objective), using			
	phase-contrast illumination.			
ETHYLENE GLYCOL	TWA: 25 ppm vapor fraction	(vacated) Ceiling: 50 ppm	-	
107-21-1	STEL: 50 ppm vapor fraction	(vacated) Ceiling: 125 mg/m ³		
	STEL: 10 mg/m ³ inhalable			
	particulate matter, aerosol only			

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Individual protection measures, such as pers Eye/face protection Wear sa	
Evelface protection Wear sa	onal protective equipment
	fety glasses with side shields (or goggles).
Skin and body protection Wear pro	otective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection Use NIO appropria	SH-approved air-purifying respirator with organic vapor cartridge or canister, as ate.
	n accordance with good industrial hygiene and safety practice. Regular cleaning of nt, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

<u>9.1. Information on basic physical</u> Physical state Appearance Odor Color Odor threshold	<u>and chemical properties</u> Paste / Gel Liquid Gray Slight Gray No information available	
Property_	Values	Remarks • Method
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	> 100 °C / > 212 °F	
Flash point	> 95 °C / > 203 °F	
Evaporation rate	<1	Butyl acetate = 1
Flammability (solid, gas) Flammability Limit in Air	No information available	
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	>1	Air = 1
Relative density	1.36	
Water solubility	Soluble in water	
Solubility(ies)	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Hyphen	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	
Other information Softening point Molecular weight Density Bulk density SADT (self-accelerating decomposition temperature)	No information available No information available No information available 자료 없음 No information available	

Reactivity No information available

<u>Chemical stability</u> Stable under normal conditions

<u>Possibility of hazardous reactions</u> None under normal processing.

Hazardous polymerization No information available.

Conditions to avoid Excessive heat.

Incompatible materials No information available

Hazardous decomposition products

10. STABILITY AND REACTIVITY

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Harmful if swallowed.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ETHYLENE GLYCOL 107-21-1	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	> 2.5 mg/L (Rat)6 h
CARBOMER 9003-01-4	= 2500 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.1 mg/L (Rat)4 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.			
Germ cell mutagenicity	No information available.			
Carcinogenicity	The table bel	The table below indicates whether each agency has listed any ingredient as a carcinogen.		
Chemical name	ACGIH	IARC	NTP	OSHA
SILICON CARBIDE 409-21-2	A2	Group 2A	-	X
CARBOMER 9003-01-4	-	Group 3	-	-
A2 - Suspected Human C IARC (International Age Group 3 - Not classifiable Group 2A - Probably Car Occupational Safety an X - Present	ency for Research on Cance e as a human carcinogen cinogenic to Humans d Health Administration of t	r) he US Department of Labor		
Target organ effects Neurological effects	Central nervous system, Eyes, Respiratory system, Skin. No information available.			
Other adverse effects The following values are	No informatio calculated based on cha	n available. Apter 3.1 of the GHS docu	ment	
ATEmix (oral)	1938 mg/kg			

ATEmix (dermal)

1938 mg/kg 41087 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

1.426 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Chemical name	Partition coefficient
ETHYLENE GLYCOL 107-21-1	-1.36
CARBOMER 9003-01-4	0.27

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods			
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.		
Contaminated packaging	Do not reuse container.		
US EPA Waste Number	Not applicable		

14. TRANSPORT INFORMATION

DOT Proper shipping name	Not regulated
IATA Proper shipping name	Not regulated
IMDG Proper shipping name	Not regulated

15. REGULATORY INFORMATION

International Inventories			
TSCA	Complies		
DSL/NDSL	Complies		
EINECS/ELINCS	Does not comply		
ENCS	Does not comply		
IECSC	Complies		
KECI	Complies		
PICCS	Complies		
AICS	Complies		

Legend:

 TSCA
 - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL
 - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS
 - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 ENCS
 - Japan Existing and New Chemical Substances

 IECSC
 - China Inventory of Existing Chemical Substances

 KECL
 - Korean Existing and Evaluated Chemical Substances

 PICCS
 - Philippines Inventory of Chemicals and Chemical Substances

 AICS
 - Australian Inventory of Chemical Substances

В

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
ETHYLENE GLYCOL - 107-21-1	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
ETHYLENE GLYCOL 107-21-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
ETHYLENE GLYCOL	Developmental
107-21-1	

U.S. State Right-to-Know Regulations

Γ	Chemical name	New Jersey	Massachusetts	Pennsylvania
	TRIETHANOLAMINE	Х	Х	Х
	102-71-6			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2B - Toxic materials

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 2	Flammability 1	Instability 0	-
HMIS	Health hazards 2	Flammability 1	Physical hazards 0	Personal protection

Revision Date

29-May-2024

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However,Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of theinformation. User is responsible for evaluating whether such information or this product is fit for a particular purposeand suitable for a particular use or application. The information in this data sheet may not be valid if this product is usedin combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims anyliability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of thisproduct. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet