

#### Identification of Substance & Company

**Product** 

Product name Cowslips Powder HSNO approval HSR100757

Approval description Veterinary Medicines (Limited Pack Size, Finished Dose) Group Standard

2017

UN number NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

**Uses** Adhesive in application of hoof care products

**Company Details** 

Company Shoof International Ltd

Address 224 Laurent Road, 1 International Square

Cambridge 3493 Tullamarine VIC 3043

New Zealand Australia

 Telephone
 +64 7 827 3902
 +61 3 9907 3000

 Fax
 +64 7 823 0651
 +61 3 9310 4760

Website www.shoof.co.nz www.shoof.com.au

NZ Emergency Telephone Number: 0800 POISON (0800 764 766)
Poisons Information Centre – Australia: 13 11 26

#### 2. Hazard Identification

#### **Approva**

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR100757, Veterinary Medicines (Limited Pack Size, Finished Dose) Group Standard 2017). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2017.

Classes

#### **Hazard Statements**

6.5B H317 - May cause an allergic skin reaction.

#### **SYMBOLS**

# WARNING



### **Australian GHS Classification**

GHS classes Hazard Statements

Skin sensitization cat 1 H317 - May cause an allergic skin reaction.

#### **Precautionary Statements**

P103 - Read label before use.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray\*.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves/eye protection/face protection\*.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

#### 3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
dibenzoyl peroxide	94-36-0	1-3%
poly(methyl methacrylate)	9011-14-7	50-60%
dicyclohexyl phthalate	84-61-7	<3%

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

Page 1 of 6

July 2019 Product Name: Cowslips Powder



#### First Aid

#### **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency

Recommended first aid

Ready access to running water is required. Accessible eyewash is required.

facilities

**Exposure** 

**Swallowed** Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor.

Eye contact If product gets in eyes, wash material from them with running water for several minutes.

If symptoms persist, seek medical advice.

Skin contact This product is non-irritating to skin. No further measures should be required.

Inhaled Generally, inhalation of fumes is unlikely to result in adverse health effects. If coughing,

> dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

**Advice to Doctor** 

Treat symptomatically

#### **Firefighting Measures**

Fire and explosion hazards: Suitable extinguishing

substances:

Unsuitable extinguishing Products of combustion:

substances:

alcohol resistant foam. Unknown.

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

There are no specific risks for fire/explosion for this chemical. It is non-flammable.

Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

**Protective equipment:** 

Hazchem code:

No special measures are required.

#### **Accidental Release Measures**

Containment

**Emergency procedures** 

In all cases design storage to prevent discharge to storm water.

In the event of spillage alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your

regional council immediately).

Collect and seal in properly labelled containers or drums for disposal. If contamination of Clean-up method

crops, sewers or waterways has occurred advise local emergency services.

**Disposal** Sweep up carefully avoiding the creation of dust and collect recoverable material into

labelled containers for recycling or salvage. Recycle containers wherever possible. This material may be suitable for approved landfill. Dispose of only in accord with all

regulations.

**Precautions** Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

### Storage & Handling

Avoid storage of harmful substances with food. Store out of reach of children. Storage

> Containers should be kept closed in order to minimise contamination. Store below 30°C. Keep from extreme heat and open flames. Fill the container by approximately 80% only as oxygen (air) is required for stabilisation. Avoid contact with incompatible substances

as listed in Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

Page 2 of 6 July 2019



### **Exposure Controls / Personal Protective Equipment**

#### **Workplace Exposure Standards**

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m<sup>3</sup> for respirable particulates and 10mg/m<sup>3</sup> for inhalable particulates when limits have not otherwise been established.

**Exposure Stds** 

Ingredient dibenzoyl peroxide dicyclohexyl phthalate **WES-TWA** 5mg/m<sup>3</sup> 5mg/m<sup>3</sup> (phthalates)

data unavailable data unavailable

**Australian Exposure Stds**  Ingredient dibenzoyl peroxide dicyclohexyl phthalate

5mg/m<sup>3</sup>

data unavailable 5mg/m<sup>3</sup> (phthalates) data unavailable

**ES-STEL** 

#### **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

#### **Personal Protective Equipment**

**Eyes** 

Protective eyewear is not normally necessary when using this product. However, it always prudent to use protective eyewear if splashes are likely.

Skin

Avoid repeated or prolonged skin contact. Wear overalls, rubber boots and impervious gloves. Rubber gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use. Protective clothing must comply with AS 2919, AS3765.1 or AS3765.2. PVC or rubber boots must comply with AS/NZS 2210.2 and selected and maintained in accordance with AS/NS2210.1. Remove protective clothing and wash exposed areas with soap and water prior to eating, drinking or smoking. Wash hands after handling. A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected,

#### Respiratory

used and maintained in accordance with AS/NS 1715. Use a respirator with a particulate filter. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

Product Name: Cowslips Powder

### **WES Additional Information**

Not applicable

### **Physical & Chemical Properties**

**Appearance** white powder Odour faint odour Ha no data Vapour pressure NA **Viscosity** NA **Boiling point** not specified

Volatile materials no data not specified Freezing / melting point Solubility not specified Specific gravity / density not specified Flash point no data Danger of explosion no data **Auto-ignition temperature** no data **Upper & lower flammable limits** no data non corrosive Corrosiveness



### Stability & Reactivity

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Operations that create

dust. Keep away from heat and sources of ignition

Incompatible groups none known **Substance Specific** none known

Incompatibility

Hazardous decomposition

products

none known

**Hazardous reactions** none known

#### 11. **Toxicological Information**

IF IN EYES: may cause transient eye irritation.

IF ON SKIN: Sensitised individuals may experience an allergic skin reaction such as dermatitis.

IF INHALED: Dust may be irritating to the respiratory system.

#### **Supporting Data**

Acute Oral Using LD<sub>50</sub>'s for ingredients, the calculated LD<sub>50</sub> (oral, rat) for the mixture is >5,000

mg/kg. Data considered includes: dibenzoyl peroxide 1072mg/kg 9mouse), 2255mg/kg

(rat).

**Dermal** No evidence of dermal toxicity.

Inhaled Using LC<sub>50</sub>'s for ingredients, the estimated LC<sub>50</sub> (inhalation, rat) for the mixture is >5mg/L.

The mixture is not considered to be an eye irritant. Eye Skin The mixture is not considered to be a skin irritant.

Chronic Sensitisation The mixture is considered to be a contact sensitizer, because dibenzoyl peroxide is

known to be a contact sensitizer.

Mutagenicity No ingredient present at concentrations > 0.1% is considered a mutagen. Carcinogenicity No ingredient present at concentrations > 0.1% is considered a carcinogen. Reproductive / No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

**Systemic** No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known.

existing conditions

#### 12. **Ecological Data**

This mixture is not considered ecotoxic. In all cases prevent run-off to drains, sewers and waterways.

#### **Supporting Data**

Using EC<sub>50</sub>'s for ingredients, the calculated EC<sub>50</sub> for the mixture is > 100 mg/L. Data Aquatic

considered includes: dibenzoyl peroxide 2.6-3.7 mg/L (7 day, fresh water fish).

Bioaccumulation No data No data Degradability

Soil No evidence of soil toxicity.

**Terrestrial vertebrate** This mixture is not considered toxic towards terrestrial vertebrates.

Terrestrial invertebrate No evidence of toxicity towards terrestrial invertebrates.

**Biocidal** no data

**Environmental effect levels** No EELs are available for this mixture or ingredients

#### 13. **Disposal Considerations**

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal of this product must comply with the Hazardous Substances (Disposal) Notice Disposal method

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

Page 4 of 6 July 2019



#### **Transport Information**

There are no specific restrictions for this product (not a dangerous good).

**UN number:** NA Proper shipping name: NA Class(es) NA Packing group: NA NA NA **Precautions:** Hazchem code:

#### **Regulatory Information**

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR100757, Veterinary Medicines (Limited Pack Size, Finished Dose) Group Standard 2017. All ingredients appear on the NZIoC.

Specific Workplace Controls (as per HSNO approval referenced to Controls Matrix)

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity. An inventory of all hazardous substances must be prepared and maintained. Inventory All hazardous substances should be appropriately packaged including substances Packaging

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Not required. Certified handler Not required. Tracking Not required. Bunding & secondary containment Not required. Signage Not required. Location compliance certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

Standard for the Uniform Scheduling

of Drugs and Poisons (SUSDP)

Applicable prohibitions and

notifications/licensing requirements **Agricultural and Veterinary** 

**Chemicals Act** 

Listing in the Australian Inventory of

**Chemical Substances (AICS)** 

Not scheduled

Not listed

Not listed

Dibenzoyl peroxide - IMAP - Tier II - Human Health

Polymethyl methacrylate - IMAP - Tier I - Human Health Phthalates esters: - IMAP - Tier II - Human Health

IMAP - Tier II - Environment Targeted Assessment

Additional information NA

### Other Information

**Abbreviations** 

**AICS** 

Approval HSR100757, Veterinary Medicines (Limited Pack Size, Finished Dose) Group **Approval Code** 

Standard 2017 Controls, EPA. www.epa.govt.nz Australian Inventory of Chemical Substances **CAS Number** Unique Chemical Abstracts Service Registry Number

Ecotoxic Concentration 50% - concentration in water which is fatal to 50% of a test EC<sub>50</sub>

population (e.g. daphnia, fish species)

Exposure Standard - The airborne concentration of a biological or chemical agent to ES

which a worker may be exposed in a work day.

FΡΔ Environmental Protection Authority (New Zealand)

**GHS** Globally Harmonised System of Classification and Labelling of Chemicals

**HAZCHEM Code** Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

Page 5 of 6 July 2019



HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer
LEL/UEL Lower Explosive Limit/ Upper Explosive Limit

**LD**<sub>50</sub> Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

NICNAS National Industrial Chemicals Notification and Assessment Scheme

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

**ES** Workplace Exposure standards for airborne contaminants – Safework Australia.

Other References: Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

**Review** 

DateReason for reviewJuly 2019Not applicable – new SDS

#### Disclaime

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.



Page 6 of 6 July 2019