FIL New Zealand Limited

FIL Tail Paint Aerosol

SAFETY DATA SHEET

Issue Date: 1-May-17

1. Product and Company Identification FIL Tail Paint **Product Name:** Proper Shipping Name: Aerosols Tail Mark Synonyms: Recommended Use: Temporary stock marker Molecular Formula: Mixture Manufacturer: Farmers Industries (New Zealand) Limited Address: 72 Portside Drive, Mt Maunganui Telephone Number: 07 575 2162 07 575 2161 Fax Number: 0508 434 569 Emergency phone No: 24hr Website: www.fil.co.nz Email: info@fil.co.nz Distributor: Shoof International (Australia) PTY Ltd Address: 1 International Square, Tullamarine, VIC 3043 **Telephone Number:** 03 9907 3000 Fax Number: 03 9310 4760 Website: shoof.com.au Email: sales@shoof.com.au 2. Hazards Identification

Dangerous Goods:

2.1

Hazardous Substance (HSNO):



HSNO Classification and	2.1.2A Flammable Aerosol
Hazard Statements:	H223 Flammable aerosol.
	6.1D Acutely toxic substance
	H302 Harmful if swallowed.
	H312 Harmful in contact with skin.
	H332 Harmful if inhaled.
	6.3B <u>Skin irritant</u>
	H316 Causes mild skin irritation.
	6.4A Eye irritant
	H319 Causes serious eye irritation.
	9.1D Ecotoxic in the aquatic environment
	H413 May cause long lasting harmful effects to aquatic life.
Prevention statements:	P102 Keep out of reach of children.

	P103 F	Read label before use.
	P104 F	Read safety data sheet before use.
	P210 K	Keep away from open flames and hot surfaces. No smoking.
	P211 C	Do not spray on an open flame or other ignition source.
	P251 P	Pressurized container: Do not pierce or burn, even after use.
	P261 A	Avoid breathing spray.
	P264 V	Wash hands thoroughly after handling.
	P270 C	Do not eat, drink or smoke when using this product.
	P271 l	Use only outdoors or in a well-ventilated area.
	P273 A	Avoid release to the environment.
	P280 V	Wear protective gloves, protective clothing and /face protection.
Response statements:	P101 I	If medical advice is needed, have product container or label at hand.
	P301+P312 I	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
	P302+P352 I	IF ON SKIN: Wash with plenty of soap and water.
	P304+P340 I	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for
	b	breathing.
	P305+P351+P338 I	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	le	enses, if present and easy to do. Continue rinsing.
	P312 C	Call a POISON CENTER or doctor/physician if you feel unwell.
	P330 R	Rinse mouth.
	P331 C	Do NOT induce vomiting.
	P332+P313 I	If skin irritation occurs: Get medical advice/ attention.
	P337+P313 I	If eye irritation persists: Get medical advice/attention.
	P363 V	Wash contaminated clothing before reuse.

Storage Statements:

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

3. Composition/Information on Ingredients

A	Low viscosity liquid with solvent odour. Available in red, orange, yellow, green, blue, pink.		
Appearance:	Supplied as an aerosol pack.		
CAS No:	142-82-5	Heptane (10 - 30%)	
	471-34-1	Calcium carbonate (10 - 30%)	
	68476-85-7	Hydrocarbon propellant (30-60%)	
		Carriers, pigments etc to 100%	

4. First Aid Measures	
Ingestion:	Call a Doctor. Rinse mouth then give a glass or two of water or milk.
	DO NOT induce vomiting. Seek medical attention.
Eye Contact:	Immediately hold eyelids apart and flush the eye continuously with running water for
	at least 15 minutes. Do not rub the eye. Seek medical attention immediately.
Skin Contact:	Quickly remove contaminated clothing. Wash skin with large quantities of water (and
	soap if available). Remove any adhering solids with industrial skin cleansing cream.
	DO NOT use solvents. Seek medical attention in the event of irritation.

Inhalation:	If fumes or combustion products are inhaled remove from contaminated area immed-		
	iately. Lay patient down. Keep warm and rested. Apply artificial respiration if not		
	breathing. Seek medical attention immediately.		
Notes to Physician:	Evaluate for respiratory distress. Consider lavage with cuffed tube. DO NOT use		
	adrenalin.		
5. Fire-fighting Measures			
Specific Hazards:	Flammable propellant - risk of explosion if heated. May give off toxic fumes if involved		
	in fire. Wear breathing apparatus plus protective gloves. Prevent spillage from entering		
	drains or water. Switch off electrical equipment until vapour fire hazard removed.		
Suitable Extinguishing Media:	Small fire: Water spray, dry chemical or CO2. Large fire: Water spray or fog.		
C. Assidental Delegas Mar			
6. Accidental Release Mea			
Spill Cleanup Methods:	Eliminate all ignition sources. Avoid breathing vapours and contact with skin and eyes.		
	Wear protective clothing, impervious gloves and safety glasses.		
	Contain and recover immediately. Absorb spill with sand, earth, inert material or		
	vermiculite. Avoid contamination of drains or waterways.		
7 Handling and Starses			
7. Handling and Storage Handling:	Avoid all personal contact, including inhalation. Use suitable gloves, respiratory and		
nanunng.			
	eye protection when spraying or dusting. Use in a well-ventilated area. Avoid smoking,		
	naked lights or ignition sources. Do not eat, drink or smoke when handling. Always		
	wash hands with soap and water after handling. Keep containers securely sealed when		
	not in use. Avoid physical damage to containers. Launder work clothes separately.		
	Do not incinerate or puncture aerosol cans.		
Storage:	Do not store with D.G. slasses 1, 5, 7, acids, food or food containers		
Storage.	Do not store with D.G classes 1, 5, 7, acids, food or food containers.		
	Store in a cool well ventilated place, away from foodstuffs and out of reach of children.		
	Keep dry to avoid corrosion of cans - which may result in container perforation and ejection		
	or contents. Incompatible with explosives, oxidizing agents,		
	incompatible with explosives, oxidizing agents,		
8. Exposure Control/Pers	nal Protection		
Exposure Standards:	TWA - solvent 400 ppm		
Engineering Controls:	Use in a well-ventilated area. If risk of overexposure exists, wear approved respirator.		
Personal Protection:	Use suitable gloves, respiratory and eye protection when spraying or dusting.		
9. Physical and Chemical	roperties		
Appearance and Odour:	- Low viscosity liquid with solvent odour.		
	Available in red, orange, yellow, green, blue, pink.		
Solubility in Water (g/l):	Nil		
Specific Gravity:	0.8 (approx)		
Boiling Point/Melting Point (C)			
Vapour Pressure: (Pascals or mm			
250C): Flashpoint (C):	-104 propellant		
Flammability Limits (%):	Not Available		
pH Value:	Not Available		
-			

10. Stability and Reacti	vity		
Stability:	Stable. Pressurised aerosol can with flammable propellant.		
	Elevated temperatures and presence of open flame could cause product to erupt.		
	Incompatible with explosives, chlorine, phosphorus and oxidising agents.		
11. Toxicological Inform	nation		
General:	Solvent and harmful vapour. May be harmful if swallowed, inhaled, gets in eyes or in		
	prolonged skin contact. Possible accumulative long term effects.		
Ingestion:	Irritant, emetic, purgative. Harmful in larger quantities.		
Eye Contact:	Irritant - reddened, swollen or watering excessively.		
Skin Contact:	Irritant - possible drying and cracking.		
Inhalation:	Potentially harmful - causing dizziness, drowsiness. Avoid inhaling vapour and use with		
	adequate ventilation. Heptane Inhalation-RAT LC50 103 g/m3/4h.		
12. Ecotoxicity Informa	tion		
	9.1D Heptane: Toxic to aquatic organisms - may cause long-term damage to		
	the environment. Avoid loss into natural waterways.		
	LC50 Gambusia affinis (Western mosquito fish) 4924 mg/L/24, 48, 96 hr		
13. Disposal Considerat	tions		
Container Disposal:	Dispose of empty containers safely - do not puncture or burn.		
	Avoid contamination of any water supply with product or empty container.		
Product Disposal:	Dispose of product safely. Avoid contamination of any water supply with product or		
	empty container.		
14. Transport Informat	ion		
UN No:	1950		
Dangerous Goods Class:	2 Dangerous goods in limited quantities		
Hazchem Code:	2YE		
Packing Group:	Not Available		
Proper Shipping Name:	Aerosols (less than 1000 cc)		
Segregation:	Do not store with D.G classes 1, 5, 7, acids, food or food containers.		
Limited Quantities:	1 Litre		
15. NZ Regulatory Info	rmation		
ERMA Approval Code:	HSR002515		
	15(02515		
Group Standard:	Aerosols (Flammable)		
HSNO Classifications:	2.1.2A Flammable Aerosol		

Acutely toxic substance

Skin irritant

6.1D

6.3B

HSNO Controls:

Trigger quantities for this substance by itself in a Place:

Approved Handler Test Certificate:	3000 litres
Hazardous Substance Location:	3000 litres
Location Test Certificate:	3000 litres
Hazardous Atmosphere Zone:	3000 litres
Fire extinguishers:	3000 litres
Emergency Plan:	3000 litres
Tracking:	Not required
Warning Sign:	3000 litres
Disposal:	Not required

16. Other Info	rmation		
Issue Date:	1-May-17		
Review Date:	1-May-22		
Definitions:	DG	Dangerous Good	
	LC50	Lethal concentration 50 % ki	II
	LD50	Lethal dose 50 % kill	
	PEL	Permissible exposure limit	
	TLM24	24 hour median threshold lin	nit
	TWA	Time weighted average	The 8-hour time-weighted average exposure
			standard designed to protect the worker from the
			effects of long-term exposure